

307

2-208.22
4 0

APPROVAL - OU2 PSP ADDENDUM RESPONSES

06/06/96

OEPA DOE-FN
1
APPROVAL



State of Ohio Environmental Protection Agency

Southwest District Office

401 East Fifth Street
Dayton, Ohio 45402-2911
(513) 285-6357
FAX (513) 285-6249

FERNALD

LOG J-2132

JUN 7 8 55 AM '96

George V. Voinovich
Governor

FILE:
LIBRARY:

June 6, 1996

RE: DOE FEMP
MSL #531-0297
APPROVAL - OU2 PSP
ADDENDUM RESPONSES

Mr. Johnny Reising
U.S. DOE FEMP
P.O. Box 398705
Cincinnati, OH 45329-8705

Dear Mr. Reising:

Ohio EPA has reviewed the "Submittal of the Responses to Comments on the Addendum to the Project Specific Plan for Phase I and Phase II of the Operable Unit 2 Predesign Report" submitted by DOE on April 12, 1996. Based upon this review, Ohio EPA has determined that all comments were appropriately addressed and approves the document.

If you should have any questions, please contact Mike Proffitt at (513) 285-6603 or me.

Sincerely,

Thomas A. Schneider
Fernald Project Manager
Office of Federal Facilities Oversight

cc: Jim Saric U.S. EPA
Terry Hagen, FERMCO
Ruth Vandegrift, ODH
Sharon McClellan, PRC
Manager TPSS, DERR/CO
Dave Ward, GeoTrans
Mike Proffitt, DDAGW

FAOU2PRDSGADD.APP

Gabree (j)
Partial
action response
to P-0725-DOE-0725-96
(4759)